

L Number	Hits	Search Text	DB	Time stamp
1	1	programmable adj interface adj core\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 13:47
36	2	(multi-codec\$1) same ((characteristic\$1 capabilit\$3 requirement\$1 attribute\$1 parameter\$1 need\$1 type\$1 kind\$1) near3 controller\$1) and (codec\$1 near5 configur\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:09
37	0	(multi-codec\$1) same compatib\$6 same (codec\$1 near5 configur\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:07
38	0	(plural\$4 adj codec\$1) same compatib\$6 same (codec\$1 near5 configur\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:08
39	41	compatib\$6 same (codec\$1 near5 configur\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:14
40	1	713/1,100.ccls. and (compatib\$6 same (codec\$1 near5 configur\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:10
41	41	((characteristic\$1 capabilit\$3 requirement\$1 attribute\$1 parameter\$1 need\$1 type\$1 kind\$1) near3 controller\$1) and (codec\$1 near5 configur\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:28
42	0	713/1,100.ccls. and (((characteristic\$1 capabilit\$3 requirement\$1 attribute\$1 parameter\$1 need\$1 type\$1 kind\$1) near3 controller\$1) and (codec\$1 near5 configur\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:10
43	2	710/10,11,300,301,104,105.ccls. and (((characteristic\$1 capabilit\$3 requirement\$1 attribute\$1 parameter\$1 need\$1 type\$1 kind\$1) near3 controller\$1) and (codec\$1 near5 configur\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:12
44	1	710/10,11,300,301,104,105.ccls. and (compatib\$6 same (codec\$1 near5 configur\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:20
45	0	upgrad\$3 same (compatib\$6 same (codec\$1 near5 configur\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:14
46	3	713/1,100.ccls. and (codec\$1 near5 (configur\$6, set-up or (set adj up)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 15:30
47	4	710/10,11,300,301,104,105.ccls. and (codec\$1 near5 (configur\$6, set-up or (set adj up)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:30
48	3	710/10,11,300,301,104,105.ccls. and (codec\$1 near5 select\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:24

49	1	710/10,11,300,301,104,105.ccls. and (coder-decoder near5 select\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:24
50	3	713/1,100.ccls. and (coder-decoder near5 select\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:25
51	6	713/1,100.ccls. and (codec\$1 near5 select\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:25
52	5121	((characteristic\$1 capabilit\$3 requirement\$1 attribute\$1 parameter\$1 need\$1 type\$1 kind\$1) near3 controller\$1) same (configur\$6 or setup\$1 or (set-up\$1) or (set adj up))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:29
53	123	(710/10,11,300,301,104,105.ccls. or 713/1,100.ccls.) and (((characteristic\$1 capabilit\$3 requirement\$1 attribute\$1 parameter\$1 need\$1 type\$1 kind\$1) near3 controller\$1) same (configur\$6 or setup\$1 or (set-up\$1) or (set adj up)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:40
54	0	initializ\$6 same (compatib\$6 same (codec\$1 near5 configur\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:41
55	31	initializ\$6 and (compatib\$6 same (codec\$1 near5 configur\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 15:28
56	439	codec near3 support\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 15:29
57	0	(enabl\$3 near5 number\$1) same (codec near3 support\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 15:30
58	60	(enabl\$3) same (codec near3 support\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 15:30
59	0	(713/1,100.ccls. or 710/8,10.ccls.) and ((enabl\$3) same (codec near3 support\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 15:31
60	3	(713/1,100.ccls. or 710/8,10.ccls.) and (codec near3 support\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 15:31

L Number	Hits	Search Text	DB	Time stamp
40	1	713/1,100.ccls. and (compatib\$6 same (codec\$1 near5 configur\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:10
41	41	((characteristic\$1 capabilit\$3 requirement\$1 attribute\$1 parameter\$1 need\$1 type\$1 kind\$1) near3 controller\$1) and (codec\$1 near5 configur\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:28
42	0	713/1,100.ccls. and (((characteristic\$1 capabilit\$3 requirement\$1 attribute\$1 parameter\$1 need\$1 type\$1 kind\$1) near3 controller\$1) and (codec\$1 near5 configur\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:10
43	2	710/10,11,300,301,104,105.ccls. and (((characteristic\$1 capabilit\$3 requirement\$1 attribute\$1 parameter\$1 need\$1 type\$1 kind\$1) near3 controller\$1) and (codec\$1 near5 configur\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:12
44	1	710/10,11,300,301,104,105.ccls. and (compatib\$6 same (codec\$1 near5 configur\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:20
45	0	upgrad\$3 same (compatib\$6 same (codec\$1 near5 configur\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:14
46	3	713/1,100.ccls. and (codec\$1 near5 (configur\$6, set-up or (set adj up)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:15
47	4	710/10,11,300,301,104,105.ccls. and (codec\$1 near5 (configur\$6, set-up or (set adj up)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:30
48	3	710/10,11,300,301,104,105.ccls. and (codec\$1 near5 select\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:24
49	1	710/10,11,300,301,104,105.ccls. and (coder-decoder near5 select\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:24
50	3	713/1,100.ccls. and (coder-decoder near5 select\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:25
51	6	713/1,100.ccls. and (codec\$1 near5 select\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:25
54	0	initializ\$6 same (compatib\$6 same (codec\$1 near5 configur\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:41

L Number	Hits	Search Text	DB	Time stamp
40	1	713/1,100.ccls. and (compatib\$6 same (codec\$1 near5 configur\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:10
41	41	((characteristic\$1 capabilit\$3 requirement\$1 attribute\$1 parameter\$1 need\$1 type\$1 kind\$1) near3 controller\$1) and (codec\$1 near5 configur\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:28
42	0	713/1,100.ccls. and (((characteristic\$1 capabilit\$3 requirement\$1 attribute\$1 parameter\$1 need\$1 type\$1 kind\$1) near3 controller\$1) and (codec\$1 near5 configur\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:10
43	2	710/10,11,300,301,104,105.ccls. and (((characteristic\$1 capabilit\$3 requirement\$1 attribute\$1 parameter\$1 need\$1 type\$1 kind\$1) near3 controller\$1) and (codec\$1 near5 configur\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:12
44	1	710/10,11,300,301,104,105.ccls. and (compatib\$6 same (codec\$1 near5 configur\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:20
45	0	upgrad\$3 same (compatib\$6 same (codec\$1 near5 configur\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:14
46	3	713/1,100.ccls. and (codec\$1 near5 (configur\$6, set-up or (set adj up)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:15
47	4	710/10,11,300,301,104,105.ccls. and (codec\$1 near5 (configur\$6, set-up or (set adj up)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:30
48	3	710/10,11,300,301,104,105.ccls. and (codec\$1 near5 select\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:24
49	1	710/10,11,300,301,104,105.ccls. and (coder-decoder near5 select\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:24
50	3	713/1,100.ccls. and (coder-decoder near5 select\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:25
51	6	713/1,100.ccls. and (codec\$1 near5 select\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:25


L Number	Hits	Search Text	DB	Time stamp
36	2	(multi-codec\$1) same ((characteristic\$1 capabilit\$3 requirement\$1 attribute\$1 parameter\$1 need\$1 type\$1 kind\$1) near3 controller\$1) and (codec\$1 near5 configur\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:09
37	0	(multi-codec\$1) same compatib\$6 same (codec\$1 near5 configur\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:07
38	0	(plural\$4 adj codec\$1) same compatib\$6 same (codec\$1 near5 configur\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:08
39	41	compatib\$6 same (codec\$1 near5 configur\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:14
40	1	713/1,100.ccls. and (compatib\$6 same (codec\$1 near5 configur\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:10
41	41	((characteristic\$1 capabilit\$3 requirement\$1 attribute\$1 parameter\$1 need\$1 type\$1 kind\$1) near3 controller\$1) and (codec\$1 near5 configur\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:28
42	0	713/1,100.ccls. and (((characteristic\$1 capabilit\$3 requirement\$1 attribute\$1 parameter\$1 need\$1 type\$1 kind\$1) near3 controller\$1) and (codec\$1 near5 configur\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:10
43	2	710/10,11,300,301,104,105.ccls. and (((characteristic\$1 capabilit\$3 requirement\$1 attribute\$1 parameter\$1 need\$1 type\$1 kind\$1) near3 controller\$1) and (codec\$1 near5 configur\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:12
44	1	710/10,11,300,301,104,105.ccls. and (compatib\$6 same (codec\$1 near5 configur\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:20
45	0	upgrad\$3 same (compatib\$6 same (codec\$1 near5 configur\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:14
46	3	713/1,100.ccls. and (codec\$1 near5 (configur\$6, set-up or (set adj up)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:15
47	4	710/10,11,300,301,104,105.ccls. and (codec\$1 near5 (configur\$6, set-up or (set adj up)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:30
48	3	710/10,11,300,301,104,105.ccls. and (codec\$1 near5 select\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:24
49	1	710/10,11,300,301,104,105.ccls. and (coder-decoder near5 select\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:24

50	3	713/1,100.ccls. and (coder-decoder near5 select\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:25
51	6	713/1,100.ccls. and (codec\$1 near5 select\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:25
52	5121	((characteristic\$1 capabilit\$3 requirement\$1 attribute\$1 parameter\$1 need\$1 type\$1 kind\$1) near3 controller\$1) same (configur\$6 or setup\$1 or (set-up\$1) or (set adj up))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:29
53	123	(710/10,11,300,301,104,105.ccls. or 713/1,100.ccls.) and (((characteristic\$1 capabilit\$3 requirement\$1 attribute\$1 parameter\$1 need\$1 type\$1 kind\$1) near3 controller\$1) same (configur\$6 or setup\$1 or (set-up\$1) or (set adj up)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:40
54	0	initializ\$6 same (compatib\$6 same (codec\$1 near5 configur\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:41
55	31	initializ\$6 and (compatib\$6 same (codec\$1 near5 configur\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:41

L Number	Hits	Search Text	DB	Time stamp
36	2	(multi-codec\$1) same ((characteristic\$1 capabilit\$3 requirement\$1 attribute\$1 parameter\$1 need\$1 type\$1 kind\$1) near3 controller\$1) and (codec\$1 near5 configur\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:09
37	0	(multi-codec\$1) same compatib\$6 same (codec\$1 near5 configur\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:07
38	0	(plural\$4 adj codec\$1) same compatib\$6 same (codec\$1 near5 configur\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:08
39	41	compatib\$6 same (codec\$1 near5 configur\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:14
40	1	713/1,100.ccls. and (compatib\$6 same (codec\$1 near5 configur\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:10
41	41	((characteristic\$1 capabilit\$3 requirement\$1 attribute\$1 parameter\$1 need\$1 type\$1 kind\$1) near3 controller\$1) and (codec\$1 near5 configur\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:28
42	0	713/1,100.ccls. and ((characteristic\$1 capabilit\$3 requirement\$1 attribute\$1 parameter\$1 need\$1 type\$1 kind\$1) near3 controller\$1) and (codec\$1 near5 configur\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:10
43	2	710/10,11,300,301,104,105.ccls. and (((characteristic\$1 capabilit\$3 requirement\$1 attribute\$1 parameter\$1 need\$1 type\$1 kind\$1) near3 controller\$1) and (codec\$1 near5 configur\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:12
44	1	710/10,11,300,301,104,105.ccls. and (compatib\$6 same (codec\$1 near5 configur\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:20
45	0	upgrad\$3 same (compatib\$6 same (codec\$1 near5 configur\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:14
46	3	713/1,100.ccls. and (codec\$1 near5 (configur\$6, set-up or (set adj up)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:15
47	4	710/10,11,300,301,104,105.ccls. and (codec\$1 near5 (configur\$6, set-up or (set adj up)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:30
48	3	710/10,11,300,301,104,105.ccls. and (codec\$1 near5 select\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:24
49	1	710/10,11,300,301,104,105.ccls. and (coder-decoder near5 select\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:24

50	3	713/1,100.ccls. and (coder-decoder near5 select\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:25
51	6	713/1,100.ccls. and (codec\$1 near5 select\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:25
54	0	initializ\$6 same (compatib\$6 same (codec\$1 near5 configur\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:41
-	8	riser\$1 near5 codec\$1 near5 configur\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/17 14:11
-	1	(three-codec, two-codec) near3 configuration\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/17 14:04
-	503	codec\$1 near5 configur\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/17 14:05
-	41	((characteristic\$1 capabilit\$3 requirement\$1 attribute\$1 parameter\$1 need\$1 type\$1 kind\$1) near3 controller\$1) and (codec\$1 near5 configur\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:01
-	2	710/300,301,11,104,105.ccls. and (codec\$1 near5 configur\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/17 14:11
-	6	710/300,301,11,104,105.ccls. and (riser\$1 near5 codec\$1 and configur\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/17 14:19
-	2	713/100,1.ccls. and (riser\$1 near5 codec\$1 and configur\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/17 14:19




[Advanced Search](#) [Preferences](#) [Language Tools](#) [Search Tips](#)

audio codec 1997 specification multi

Google Search

[Web](#) · [Images](#) · [Groups](#) · [Directory](#) · [News](#)

Searched the web for audio codec 1997 specification multi codecs. Results 1 - 10 of about 7,340. Search took 0.38 seconds

[PDF] [Reconfigurable Architecture for Multi-Standard Audio Codecs](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... 1. MPEG Layer III Audio Codec The benchmark application is a MP3 codec, of which ... IEEE

Symposium on FPGA's for Custom Computing Machines, 1997. ...

wwwhome.cs.utwente.nl/~smit/HWSWcodesign/ paper\_choudhary.pdf - [Similar pages](#)

## Sponsored Links

[Audio Codec DSP Software](#)VOCAL offers G.711 G.722.1 G.722.2 G.723 G.726 G.726 G.729AB MELP IL  
www.vocal.com  
Interest: 

[PDF] [PacketCable Audio/Video Codecs Specification \(PKT-SP-CODEC-I04 ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Page 15. PacketCable™ Audio/Video Codecs Specification PKT-SP-CODEC-I04-021018 10/18/02 CableLabs 9 In an application where the MTA is located in ...

www.packetcable.com/downloads/specs/ PKT-SP-CODEC-I04-021018.pdf - [Similar pages](#)[Audio & Video Codecs](#)MP3 decoder, AAC audio codec  
MP2 encoder, MPEG1,2: dsp, risc  
www.spiritdsp.com/mp3.html  
Interest: [See your message here...](#)

[PDF] [PacketCable Audio/Video Codecs Specification \(PKT-SP-CODEC-I05 ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... 8 CableLabs 01/13/04 Page 15. PacketCable™ Audio/Video Codecs Specification PKT-SP-CODEC-I05-040113 In an application where the MTA is located in ...

www.packetcable.com/downloads/specs/ PKT-SP-CODEC-I05-040113.pdf - [Similar pages](#)[ [More results from www.packetcable.com](#) ]

[Telecom ICs \(Multi-Function Codecs\)](#)

... Single-rail Audio CODEC, balanced, DTMF ... Singapore | Shanghai | Hong Kong | Taiwan  
© 1997-2004 Oki ...www.okisemi.com/jp/english/t-telmul.htm - 15k - [Cached](#) - [Similar pages](#)

[PDF] [TMS320C6000 McBSP: AC'97 Codec Interface \(TLC320AD90\)](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... TLC320AD90) 2 Design Problem How can the multi-channel buffered ... codec device that is compliant to the audio codec 1997 (AC'97) component specification. ...

www.eetasia.com/ARTICLES/2001MAY/ 2001MAY15\_DSP\_MSD\_AN.PDF - [Similar pages](#)

[PDF] [NP-030243 Rel-5 CR 29.198-04-4.doc](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... 2) R96 (Release 1996) R97 (Release 1997) R98 (Release ... contain lists of possible audio and video ... to 'decode' our cryptic identifiers and find the correct codec. ...

www.3gpp.org/ftp/tsg\_cn/TSG\_CN/ TSGN\_20/Docs/PDF/NP-030243.pdf - [Similar pages](#)

[PDF] [TSGS#16\(02\)0224](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... al., March 1997 [18] ITU-T Recommendation H.263 ... Adaptive Multi-Rate Wideband (AMR-WB) audio codecs", March 2002 ... 4.2 Speech The AMR codec shall be supported for ...

www.3gpp.org/ftp/tsg\_sa/TSG\_SA/ TSGS\_16/Docs/PDF/SP-020224.pdf - [Similar pages](#)[ [More results from www.3gpp.org](#) ]

[Contributions to WP 10C \(1996-97\)](#)

... regarding the up-coming testing of multichannel codecs, ... 10-11R/38] Draft EBU Standard N22-1997 - The broadcast ... wave format for the exchange of audio data files, ...

www.itu.int/itudoc/itu-r/archives/rsg/1996-97/rwp10c/ - 13k - [Cached](#) - [Similar pages](#)

[The GSM 06.10 lossy speech compression library and its ...](#)

... I can't find a trace of these people after 1997; if anyone knows the story of what ... It